#### DRAFT

# **National Integrated Drought Information System (NIDIS)**

# **Executive Council Meeting**

Hall of States Building, Room 383/385, 444 North Capitol Street NW, Washington, D.C. 20001

Tuesday, April 17, 2018

9:00am – 4:30pm EDT

# **AGENDA**

8:30am – 9:00am **Continental Breakfast** 9:00am - 10:30am Welcome, Goals, Updates 9 – 9:30am: Co-Chairs provide welcome remarks 9:30 – 9:35am: Review agenda and goals for the meeting 9:35 – 10:20am: NIDIS Updates to the Council on 2018 Implementation activities, and Council member updates relevant to drought 10:20 - 10:30am: Open Discussion 10:30am – 11:00am Drought Risk Management and the Water Utilities Sector 10:30 - 10:50am: AWWA M60 Manual: Drought Preparedness and Response, Role of Forecasting and Prediction in a Utility Context, Drought and Customer Demand/Revenue Impacts 10:50 - 11:00am: Discussion 11:00am - 11:15am Break 11:15am – 12:30pm National Drought Forum: Taking Stock Five Years Out 11:15 – 11:45am: Review of 2012 National Drought Forum Report – **Priority Actions** 11:45 – 12:15pm: What Gaps Remain? What is the Current Landscape? 12:15 – 12:30pm: Next Steps for the National Drought Forum 2018 12:30pm - 1:30pm Working Lunch: Current Drought Research, Applications, and Response in the West

# DRAFT

	12:30 – 1:00pm: NIDIS Northern Plains Drought Assessment and NOAA Northern Plains Drought Attribution Study
	1:00 – 1:30pm: Snow Droughts and Impacts to Watersheds and Economies
1:30pm – 2:30pm	NIDIS Midwest: Understanding the Drought Trade Footprint
	1:30 – 2:00pm: Midwest Regional Drought impacts to the Mississippi River Corridor, agriculture and trade, and global commodities market
	2:00 – 2:30pm: Discussion
2:30pm – 2:45pm	Break
2:45pm – 3:30pm	National Coordinated Soil Moisture Monitoring Network and Public- Private Partnerships
3:30pm – 4:00pm	NIDIS: Key Federal Partnerships
	Outcomes from the Federal Partners, March 1 Meeting
4:00pm – 4:30pm	Next Steps/Wrap-Up
	Public Comments Onen Discussion

• Public Comments, Open Discussion