

Climate Date Profiles for Minnesota's Emergency Management & Preparedness Professionals: Tools for Better Resiliency Planning Focus on Drought

Brenda Hoppe, PhD | Public Health Research Scientist

Midwest Drought and Human Health Workshop
November 20-21, 2019

Goal: Assist EMP practitioners and partners with understanding and planning for climate-related threats and associated disasters.

For Regions 3 and 4, **drought** was a major focus of how we presented information and data.







Minnesota Climate & Health Program








Minnesota Climate & Health Program




Emergency Management: Frontline Experts




Need Climate Data? You got it!




The Past No Longer Predicts the Future






What's the Big Deal with Climate Data?




What's the Big Deal with Climate Data?

A Climate Modeling Timeline (When Various Components Became Commonly Used)



Radiative Transfer



1960s Non-Linear Fluid Dynamics



1970s Sea Ice and Land Surface



1990s Atmospheric Chemistry



2000s Aerosols and Vegetation




2010s Biogeochemical Cycles and Carbon

Energy Balance Models

Atmosphere-Ocean General Circulation Models


Earth System Models

Image from Fourth NCA, Vol 1.



Hydrological

Cycle



"What gets measured gets managed."


- Peter Drucker, management guru



6 profiles for each HSEM region For use in:

- State All Hazard Mitigation Plan
- Other emergency-related plans
- Engaging partners in local planning
- Factoring into exercises





Source: Homeland Security and Emergency Management

ABOUT THE REGIONAL PROFILE

EXTREME WEATHER IS A FAMILIAR CONCERN PUTTING CLIMATE CHANGE INTO CONTEXT FOR MINNESOTANS

While experience has helped Minnesotans adapt to historical weather patterns, climate change trends are pushing us to adapt even further to weather patterns and extreme events that pose major threats to our health, homes, environment, and livelihood. Over 50 years of storm data on record document that Minnesota has experienced an increase in the number and strength of weather-related natural disasters, particularly those related to rising temperatures and heavy downpours. These events cost our state millions in property loss, damaged infrastructure, disrupted business, medical care and support services, and put residents and responders at risk. Understanding how our weather is changing now and into the future will help planners and decision-makers in emergency management and supporting fields extend our progress in climate adaptation and lead to more resilient communities.

CLIMATE PROJECTION DATA AS A TOOL

Climate projections can help us prepare for the future. These data result from highly sophisticated global climate models and provide a general idea of trends in temperature and precipitation many decades into the future at everincreasing time and spatial scales. Like every dataset, there are limitations to our understanding and application of the information to real-life decision-making. Yet despite limitations, climate projection data offer a crucial glimpse into our potential futures, and allow us to start considering the best way to allocate our preparedness dollars and management resources to reduce the severe impacts of extreme weather



Drainage Ditch (Jackson Forderer, 2012)

Sometimes, climate change and extreme weather events and the impact on our communities appear distant and abstract. That is why the Minnesota Department of Health's Minnesota Climate & Health Program teamed up with state and local emergency management and preparedness professionals as well as state climatologists to develop a custom climate profile for each of the six Homeland Security and Emergency Management (HSEM) regions across the state. Each regional profile includes a description of climate change trends along with a summary of climate projection data to illustrate these trends. Regional climate data are presented alongside population projection data, as it's important to consider both our climate future and population future as we plan to minimize risk and build resilience against climate impacts.

Additionally, each regional profile provides a local case study, a "focusing event," to illustrate the links between extreme weather and natural disasters and what climate projection data can (and cannot) signify for similar events in the future. Each case study features a recent natural disaster that impacted the HSEM region and provides a comparison between temperature and precipitation measures related to that event alongside historical baseline trends and future projection estimates. Taken together, the six HSEM regional profiles provide an extensive overview of climate change trends for Minnesota and describe the potential impact of these trends for emergency management and preparedness professionals and their

FOR MORE INFORMATION

A long form report, including all six profiles, individual county data, and a more comprehensive description of climate change trends and supporting research will be

Minnesota Climate & Health Planning Tools & Data (www.health.state.mn.us/divs/climatechange/data.html)

REGION 3 OVERVIEW



MINNESOTA CLIMATE & POPULATION TRENDS

OUR KNOWLEDGE OF CLIMATE CHANGE IS EXPANDING RAPIDLY

Climate records show that across the Midwest and here in Minnesota we are experiencing an increase in warmer. wetter conditions as well as an increase in extreme weather events and related natural disasters. Experts expect these conditions to continue well into the future. By mid-century, Minnesotans can expect much warmer winters, more severe summer heat waves, a higher frequency of very heavy rain events and a higher frequency of late growing season drought conditions.

Many communities in Minnesota rely on economies rooted in agriculture and outdoor recreation, such as wintertime tourism, including snowmobiling, ice fishing, and skiing. Future climate conditions may stress agricultural economies by delaying planting and fieldwork, increasing disease and pest pressure, and reducing crop yields due to cycles of flooding and dry spells. Rapidly warming winter temperatures will turn snowfall into rain and reduce the depth and timing of lake ice cover, affecting winter recreation.

Extreme rainfall events will increase flood risk, particularly in floodplain areas, disrupting transportation and utility service, and damaging property and infrastructure. In addition, surface runoff may lead to soil erosion, lake pollution, and reduced drinking water quality. Nutrient runoff in particular, along with warmer temperatures, are likely to contribute to a larger occurrence of harmful algal blooms on waters, many valued for recreation. Changing climate conditions are likely to strain the viability of native species, including popular recreational fish, invite encroachment by invasive species, and increase the geographic range and types of ticks and mosquitoes.

Some of these trends are evident in the current climate projection data that are available. However, because these data are often averaged or summarized for large areas over large time periods, they can mask the local peaks in temperature and precipitation that can trigger disasters. Until more finely-scaled climate projection data become available to Minnesota planners and decision-makers, the current data still remain useful for exploring the future ahead and establishing a baseline understanding of what our weather challenges may be moving forward.

REGION 3 CLIMATE PROFILE

Use the following information on temperature, precipitation, and vulnerable populations to help plan for future weather-related incidents.

TEMPERATURE

There has been an increase in winter and summer temperatures. Our average winter lows are rising rapidly, and our coldest days of winter are now warmer than we have ever recorded. In fact, Minnesota winters are warming nearly 13 times faster than our summers. The continued rise in winter temperatures will result in less snow pack, which will increase chances for grassland/wildfires as well as drought. The warmer winter temperatures will also have major consequences for our ecosystems, including native and invasive species, whose growth, migration, and reproduction are tied to climate cues. The increase in Lyme disease across Minnesota is also likely influenced in part by the loss of our historical winters, due to a longer life-cycle period for ticks. Freeze-thaw cycles are likely to increase as well, damaging roads, power lines, and causing hazardous travel conditions. By mid-century our average summer highs will also see a substantial rise, coupled with an increase in more severe, prolonged heat waves that can contribute to drought and wildfires and pose a serious health threat, particularly to children and seniors. Here are temperature trends for HSEM Region 3:



Average Summer Maximum Temperature for HSEM Region 3					
1981-2010	2050-2075	Change			
78.6 °F	86.0 °F	+7.4 °F			



Average Winter Minimum Temperature for HSEM Region 3				
1981-2010	2050-2075	Change		
-0.8 °F	9.4 °F	+10.2 °F		

PRECIPITATION

There has been an increase in total average as well as heavy precipitation events, with longer periods of intervening dry spells. Our historical rainfall patterns have changed substantially, giving rise to larger, more frequent heavy downpours. Minnesota's high-density rain gauge network has captured a nearly four-fold increase in "mega-rain" events just since the year 2000, compared to the previous three decades. Extreme rainfall events increase the probability of disaster-level flooding. However, there is also an increased probability that by mid-century heavy downpours will be separated in time by longer dry spells, particularly during the late growing season. Over the past century, the Midwest hasn't experienced a significant change in drought duration. However, the average number of days without precipitation is projected to increase in the future, leading Minnesota climate experts to state with moderate-to-high confidence that drought severity, coverage, and duration are likely to increase in the state. Modeling future precipitation amounts and patterns is less straight-forward compared to temperature. Some climate models do a better job than others representing rainfall for the Midwest, and available data sources only provide average estimates on a monthly scale, masking the spikes in extremes that trigger flood and drought disasters. Trend data provided here for HSEM Region 3 are summarized for early summer, when historically Minnesota receives most of its rainfall, and for early fall when rainfall scarcity may threaten crop harvests and local aericultural economies:



Average Early Summer Precipitation for HSEM Region 3						
1981-2010	2050-2075	Change				
3.8"	4.3"	+0.5"				



Average Early Fall Precipitation for HSEM Region 3					
1981-2010	2050-2075	Change			
2.4"	2.1"	-0.3"			

VULNERABLE POPULATIONS

There has been an increase in the older adult population. Extreme weather events cause a range of health impacts and disruptions that vary across population groups. The vulnerability of a group is a function of its sensitivity to a hazard, exposure to risks, and capacity for responding or coping with the impacts. Children and older adults are often identified as groups vulnerable to climate change threats, including extreme weather and natural disasters. For example, physiologically these groups have a lower capacity to tolerate extreme heat and are often dependent on others for transportation to cooling centers. These groups are also often critically dependent on others during a disaster, such as needing help to evacuate during a flood or wildfire, or to find alternative housing if displaced. Planning for the specific needs of vulnerable populations strengthens local efforts to reduce the impact of extreme weather-related events. Population trend data provided here for HSEM Region 3 are intended to highlight the changes in two key demographic groups for the region, but planners and managers should also consider future changes in other populations of concern, such as those with low incomes, immigrant groups, indigenous peoples, persons with disabilities, or vulnerable occupational groups (such as outdoor workers):



Childhood Population (0-14) Projection Estimates for HSEM Region 3					
2015	2050	Change			
52,279	48,610	-7%			



Elder Population (65+) Projection Estimates for HSEM Region 3				
2015	2050	Change		
46,182	64,968	41%		

REGION 3 CASE STUDY

The following case study is intended to illustrate the links between climate and weather and natural disasters. The case study demonstrates how a previous weather-related event (i.e., severe drought) impacted important economic drivers, environmental resources, and population health. Then, the Climate Projection Data section compares weather data from the case study with baseline and projected weather data to show the possibilities of future disaster events. This case study highlights the relevancy of climate projection data for understanding future climate and weather risks in Minnesota.







Region 1: 2007 Flood

Region 2: 2011 Wildfire

Region 3: 2012 Drought

Region 4: 1988 Drought

Region 5: 2013 Ice Storm

Region 6: 2011 Extreme Heat



REGION 3 CASE STUDY: KEY IMPACTS

It is nearly impossible to capture all the various impacts from a natural disaster. These impacts broadly include costly infrastructure damage, disrupted utility service, prolonged work and school absences, acute physical injury, and persistent strains on mental health, on scales ranging from the community to the household to the individual.

The extensive damage experienced by Minnesota from the 2012 drought is difficult to capture in a single cost estimate. Considered the most extensive drought to impact the U.S. since the 1930s, the 2012 drought has estimated to have cost affected states together approximately 33 billion foollars, including revenue loss from credigiture.

The following are just a few examples of the adverse impacts on HSEM Region and ities from the 2012 drought:

AGRICULTURE LOSSES: Crop yields in Northwest and Southwest Minnesota were 10-20 percent belo expected yields.


WATER LEVELS: Water levels fall it as posses to dry, hot weather. Unusually warmake water lemperatures were also deemed responsible to time fish kills. The U.S. Gearging some (UUGS) and Minnesota Departmen of Natural resources (MNDNR) reported extremely lot stream discharge values in late. September, in some cases approaching the lowest on record.

WILDFIRE: Numerous wildfires emerged in part from widespread drought conditions, including eight fires in Roseau County and an especially large fire near Red Lake. At least 16 local fire departments and state and federal fire crews were mobilized to fight the fires, yet at least 55,000 acres were burned and a number of homes and outbuildings were lost.

P RMIT SUSPENSION: To safeguard water availability, the MNDNR suspended 16 surface water appropriation permits across the state, including a mining operation, golf courses, a sugar processing plant, and other public and private sector entities. By the end of October, roughly 50 surface water appropriation permits had been suspended by the MNDNR.

DEPLETED WELL WATER: A number of complaints were filed with the state when private wells went dry. Neighboring production wells were suspected of amplifying the problems related to the drought.

STRICTER REGULATIONS: For the first time, Minnesota state regulators plan to experiment with stricter rules that will require some local communities to allocate water.







Top: Farm fields (Mark Steil, 2012) Bottom left: Dry cattle pasture (Seth Perlman, AP, 2012) Bottom right: Dry well (Mark Stell, 2012)

REGION 3 CASE STUDY: KEY IMPACTS

It is nearly impossible to capture all the various impacts from a natural disaster. These impacts broadly include costly infrastructure damage, disrupted utility service, prolonged work and school absences, acute physical injury, and persistent strains on mental health, on scales ranging from the community to the household to the individual.

The extensive damage experienced by Minnesota from the 2012 drought is difficult to capture in a single cost estimate. Considered the most extensive drought to impact the U.S. since the 1930s, the 2012 drought was estimated to have cost affected states together approximately 33 billion dollars, including revenue loss from crop failure.

The following are just a few examples of the adverse impacts on HSEM Region 3 communities from the 2012 drought:

AGRICULTURE LOSSES: Crop vields in Northwest and Southwest Minnesota were 10-20 percent below expected yields.

WATER LEVELS: Water levels fell in response to dry, hot weather. Unusually warm lake water temperatures were also deemed responsible for some fish kills. The U.S. Geological Survey (USGS) and Minnesota Department of Natural Resources (MNDNR) reported extremely low stream discharge values in late September, in some cases approaching the lowest on

WILDFIRE: Numerous wildfires emerged in part from widespread drought conditions, including eight fires in Roseau County and an especially large fire near Red Lake. At least 16 local fire departments and state and federal fire crews were mobilized to fight the fires, yet at least 55,000 acres were burned and a number of homes and outbuildings were lost.

PERMIT SUSPENSION: To safeguard water availability, the MNDNR suspended 16 surface water appropriation permits across the state, including a mining operation, golf courses, a sugar processing plant, and other public and private sector entities. By the end of October, roughly 50 surface water appropriation permits had been suspended by the MNDNR.

DEPLETED WELL WATER: A number of complaints were filed with the state when private wells went dry. Neighboring production wells were suspected of amplifying the problems related to the drought.

STRICTER REGULATIONS: For the first time, Minnesota state regulators plan to experiment with stricter rules that will require some local communities to

REGION 4 CASE STUDY: KEY IMPACTS

It is nearly impossible to capture all the various impacts from a natural disaster. These impacts broadly include costly infrastructure damage, disrupted utility service, prolonged work and school absences, acute physical injury, and persistent strains on mental health, on scales ranging from the community to the household to the individual. The extensive damage associated with the 1988 drought and extreme heat is difficult to capture in a single cost estimate. Crop loss revenue alone was estimated at \$1.2 billion.

The following are just a few examples of the adverse impacts on HSEM Region 4 communities and others from the 1988 drought and extreme heat:

ECONOMIC LOSSES: The most devastating impacts of the drought were felt by the state's agriculture community with many farmers losing most, if not all, of their typical harvest. Other sectors, like the forest products industry, were also hit hard. Of 66,000 trees planted across the state from 1987-1988, 47% were adversely impacted. Eighty percent of the estimated 3.5 million Christmas trees planted in 1987-1988 were lost and many thousands of mature trees, costly to replace, in both forested and urban areas were lost due to lack of STRICTER REGULATIONS: Surface water irrigation moisture.

POWER & TRANSPORTATION DISRUPTION:

Due to issues of high water temperatures and reduced stream flow, cooling capacity was compromised at power plants. At least one power plant suffered periodic service disruptions, requiring external purchase of electrical power with the cost passed on to customers. Water levels dropped so low in areas along the Mississippi River that barge traffic was halted or reduced to one-way traffic.

DIRECT HEALTH EFFECTS: Measures of solar radiation from April through July were 20% above average. Elevated levels of radiation can lead to acute and chronic effects on the skin, eyes, and immune system, including skin cancer and cataracts. Reports of stress and anxiety were widespread, particularly among farmers and others whose livelihoods are tied to

permits were suspended in 13 watersheds. Sprinkling bans went into effect for Minneapolis, St. Paul, and other communities across the state.

DEPLETED WELL WATER: Groundwater levels throughout the state reached new record lows. There were numerous reports of well interference when wells fail to produce adequate water. A community near St. Cloud had their wells go dry, and it was recommended that the community connect into the city's water supply system to ensure reliability of long-term source water.

Example drought impacts:

- Economic losses, crop and forests
- Adverse mental health symptoms
- Significant drop in water levels, permits suspended, wells run dry
- Increased wildfires
- Power, transportation disruptions

Key Takeaway: Need information systems or channels to communicate local impacts


CLIMATE PROJECTION DATA

Following are visual representations of climate projection data for Region 3. Data for all counties included in Region 3 were averaged to derive regional estimates. (Data for individual counties are available in the long-form report.) The graphs below compare future temperature and precipitation projection data (in yellow) with a historical climate baseline (in blue) and climate measures from the regional case study event (in green). Because preceding conditions can influence a disaster event, data from January through September are provided to underscore the cumulative growth of peak drought.



Maximum Temperature


Trend comparison to 2012 drought data



	January	February	March	April	May	June	July	August	September
Historical	14.9	22.6	34.4	52.3	67.3	75.9	80.6	79.4	68.6
Case Study	24.4	28.2	49.3	56.9	69.4	78.2	85.6	79.7	70.8
Projected	22.3	29.8	41.7	58.2	72.6	82.1	88.5	87.4	76.0

Minimum Temperature


Trend comparison to 2012 drought data



	January	February	March	April	May	June	July	August	September
Historical	-5.9	0.7	13.7	29.7	42.0	52.3	56.6	54.4	44.9
Case Study	6.4	8.2	27.9	32.8	43.6	52.7	60.7	52.0	41.6
Projected	4.6	9.9	21.6	35.5	47.3	58.1	59.7	61.8	51.8

Total Precipitation

Trend comparison to 2012 drought data




	January	February	March	April	May	June	July	August	September
Historical	0.7	0.5	0.9	1.6	2.7	4.1	3.4	3.1	2.8
Case Study	0.5	0.6	1.7	1.7	2.5	3.2	2.8	2.0	0.3
Projected	0.9	0.7	1.0	1.6	2.7	4.9	3.6	3.4	2.5

SUMMARY

CLIMATE DATA EXPERTS expect that future climate conditions across the Midwest will continue to change and affect our environment, economy, and public health. Such conditions are projected to lead to a higher frequency of late growing season drought conditions, elevated winter temperatures with reduced snowpack, prolonged high heat days, and extended periods of low rainfall. For the 2011 Extreme Heat Wave, maximum and minimum temperatures for July, when the heat wave peaked, were well above baseline values. Mid-century climate estimates indicate that CLIMATE DATA IS A CRITICAL TOOL in planning average summer maximum and minimum temperatures for Region 6 counties will be approximately 6-9°F warmer than historical trends. As average temperatures increase, the likelihood of more frequent extremes also increases. Currently, the primary response to protecting ourselves from the stress of high outdoor heat is to remain in airconditioned indoor spaces.

However, this reliance comes at a cost, particularly to Region 6 communities where much of the state's population is concentrated. Over 98% of housing units in the Twin Cities metro region have some form of air-conditioning. The addition of schools, businesses, entertainment venues, and other cooled buildings outs a hefty strain on the region's energy grid during prolonged periods of extreme heat, and this strain is projected to increase more in Region 6 counties than any other region of the state. The consequences go beyond rising utility costs to residents, which may lead some to risk getting a heat-illness to avoid unmanageable bills. Rising electricity usage may also lead to power disruption or even prolonged outages, which can have further negative health effects.

Another concern is when multiple disaster events happen together. In addition to the 2011 Extreme Heat Wave, a large cluster of July thunderstorms swept through the metro region bringing 1-2 inch diameter hail, wind gusts over 80 mph, and a number of tornado sightings. Damage was widespread, including electricity outages and downed power lines. The most intense rain was focused on the metro area and dropped 1 inch of rain in just over 20 minutes. Region 6 counties received an average July rainfall far above historical norms posing a potential flood risk. When extreme events co-occur the demands can overwhelm utilities, derail the power grid, and tax emergency management and response resources beyond capacity.



for resilient communities into the future. Assessing threats from climate change and planning effective mitigation and response strategies is a key element for emergency managers and other planners to reduce future risk. It is crucial to understand the potential impacts of climate change and the associated priorities and vulnerabilities of communities, including population, the environment, critical infrastructure, and more. However, vulnerability is a nuanced concept and most effective as an indicator of risk when planners seek to understand and address vulnerability as close to the individual level as possible and in association with a specific hazard.

For example, in HSEM Region 6, population projections show a sizable increase in children aloneside a substantial increase in seniors. Children and seniors have a reduced physical capacity to adjust to and cope with high heat. and are often partially dependent on others to ensure their personal safety and well-being, characteristics that contribute to increased vulnerability. In addition, children often spend more time engaged in physical activity outdoors, while seniors on limited incomes may struggle to pay for air-conditioning. Considering the impacts of climate change to vulnerable populations is just one example of how to prioritize mitigation and response planning.

CLIMATE PROJECTION DATA continues to improve and should be considered as a priority to advance. Minnesota would benefit from a statewide high-quality climate projection dataset that is derived using the climate and environment features unique to our state, similar to datasets developed for other states. Meanwhile, data from national resources, like the U.S. Geological Survey (USGS) and National Oceanic and Atmospheric Administration (NOAA), can still provide a powerful input to regional scenario-planning efforts by allowing planners, managers, and analysts a means of "unpacking" general climate change predictions for the Midwest by looking at potential monthly fluctuations in coarse precipitation and temperature measures for Minnesota and its counties.

NEXT STEPS: MINIMIZE RISK & BUILD RESILIENCE

Prepare today for tomorrow's climate hazards. Emergency managers, planners, elected officials, and the public play a critical role in creating safe and healthy communities, especially in the face of extreme weather events. There are steps you can take to minimize local risk and build more resilient communities:



BRING EVERYONE TO THE TABLE: Build an inclusive yet nimble team to collectively identify climate hazards and potential impacts. Be sure to include members of the community; local department professionals responsible for built, natural, and health resources; planning commissioners; faith-based and cultural organizations; research centers; and commercial organizations. Including diverse perspectives throughout your process will help support more equitable planning efforts that best leverage crossfunctional resources.



INCORPORATE CLIMATE INTO PLANNING: Incorporate climate projection data into planning efforts, such as exercise scenarios and long-range planning, to comprehensively identify future climate hazards and potential cascading effects. Explore how these interact with non-climate hazards in the community, such as aging infrastructure, to understand potential exposure to multiple threats and prioritize actions that build the community's capacity to respond.



CHAMPION CLIMATE & HEALTH: Be a champion for climate and health data. Seek opportunities to learn about these data and incorporate it in your work on an iterative basis. Support its application in professional networks and articulate the need to fund dynamically downscaled climate projection datasets for Minnesota. Climate data is a critical multi-discipline tool in proactively planning for resilient communities.

RESOURCES & REFERENCES

TOOLS & DATA

- Climate at a Glance: National Climatic Data Center, National Oceanic and Atmospheric Administration Source for all historical and much of the case study data presented in this profile. www.ncdc.noaa.gov/cag/
- Minnesota Climate and Health Profile Report (PDF), Minnesota Department of Health Profiles historic climate trends, future projections, and likely climate change impacts on the health of Minnesotans. http://www.health.state.mn.us/divs/climatechange/docs/mnprofile2015.pdf
- Minnesota Climate Change Vulnerability Assessment (PDF), Minnesota Department of Health Assesses five climate hazards and the populations that are most vulnerable to the hazards in Minnesota. http://www.health.state.mn.us/divs/climatechange/docs/mnclimvulnreport.pdf
- Minnesota Population Projection Data, Minnesota State Demographic Center Source for all population projection data presented in this profile. https://mn.gov/admin/demography/data-by-topic/population-data/our-projections/
- National Climate Change Viewer, United States Geological Survey Source for all climate projection data presented in this profile. www2.usqs.qov/climate_landuse/clu_rd/nccv/viewer.asp








Need
information
systems or
channels to
communicate
local impacts

Climate Projection Data for Minnesota



MN Climate Data Community of Practice

Mission: to encourage and enable use of climate projection data within a collegial, collaborative environment with the goal of advancing climate knowledge and resiliency actions for Minnesota.

Stay Connected!



HOME

TOPICS -

ABOUT US

Search



Climate & Health

Home

About Us

Climate & Health in Minnesota

Agriculture & Food Security

Air Quality

Diseases Spread by Ticks & Mosquitoes

Extreme Heat Events

Water Changes

Wellbeing

Resources

Climate & Health Stories

Climate Data Community of Practice

Planning Tools & Publications

Climate & Health

Changes occurring in Minnesota's climate are affecting our health and wellbeing and will have even greater impacts in the future. The Minnesota Climate & Health Program is focused on improving our ability to protect public health and prevent future harms from climate change.



Check out our <u>Climate & Health Stories</u>! We are sharing the stories of public health professionals integrating climate change into their work all summer long.

Climate & Health Impacts:

Climate & Health Overview

Climate changes we are experiencing here in Minnesota

Agriculture & Food Security

Extreme Heat Events

Extreme Heat Toolkit, maps, and more

Water Changes

Share This

Translated Materials

Get Email Updates

Spotlight

MDH staff are integrating climate and health into their work! Check out our 2019 Strategic Plan Progress Report

Visit our <u>Climate & Health</u> <u>YouTube Playlist</u> for promotional videos and webinar recordings

Stay Connected

Subscribe to our <u>Climate &</u> <u>Health e-newsletter</u> to receive email updates

Questions?

Phone: 651-201-4899

Email: health.climatechange

@state.mn.us

Thank you!

Brenda Hoppe brenda.hoppe@state.mn.us

